

Uesugi, A., Johnson, R. and Kessler, A. 2019. Context-dependent induction of allelopathy in plants under competition. – Oikos doi: 10.1111/oik.06389

Appendix 1

Table A1. Locations of populations where *Solidago altissima* genotypes were collected for the multi-range experiment.

Continent	Population	Coordinates
USA	Buffalo, New York	43.05, -78.99
	Ithaca, New York	42.48, -76.43
	Ann Arbor, Michigan	42.27, -83.81
	Binghamton, New York	42.09, -75.91
	Lake Ariel, Pennsylvania	41.35, -75.34
	Durham, North Carolina	36.03, -78.97
	Spartanburg, South Carolina	35.00, -81.97
	Tallahassee, Florida	30.50, -84.31
	Blountstown, Florida	30.51, -85.00
Japan	Asahikawa, Hokkaido	43.66, 142.44
	Chitose, Hokkaido	42.81, 141.63
	Nayoro, Hokkaido	44.38, 142.45
	Sado, Niigata	38.02, 138.36
	Niigata, Niigata	37.86, 138.94
	Ibaraki, Tsukuba	36.00, 140.13
	Ohtsu, Shiga	34.97, 135.95
	Shizuoka, Shizuoka	34.95, 138.43
	Okayama, Okayama	34.68, 133.91
Australia	Tablelands, Queensland	-17.57, 145.60
	Sunshine coast, Queensland	-26.57, 153.00
	Brisbane, Queensland	-27.47, 153.11
	Tenterfield, New South Wales	-29.05, 152.01
	Port Macquarie, New South Wales	-31.40, 152.57
	New Castle, New South Wales	-32.96, 151.69
	Lithgow, New South Wales	-33.47, 150.22
	Sydney, New South Wales	-33.72, 151.14
St. Marys, Tasmania	-41.57, 148.17	