

Sitvarin, M. I., Rypstra, A. L. and Harwood, J. 2016. Linking the green and brown worlds through nonconsumptive predator effects. – Oikos doi: 10.1111/oik.03190

Appendix 1

Table a1 is aseparate Excel file: TableA1.xls

Table A1. The impact of predators on the brown food web. Studies include total predator effects (CEs and NCEs). Ecosystem impact and Mechanisms provide insight into the causes underlying predator effects. Decomposition refers to bulk biomass loss and changes in carbon dynamics. Nutrients refers to changes in nutrient dynamics. The symbols –, 0 and + represent negative, neutral, and positive effects of predators, respectively. Contingency explains why mixed effects were seen within a single study.

Table A2 is a separate Excel-file: TabelA2.xls

Table A2. The impact of predators on the brown food web. Studies include only nonconsumptive predator effects (NCEs). Ecosystem impact and Mechanisms provide insight into the causes underlying predator effects. Decomposition refers to bulk biomass loss and changes in carbon dynamics. Nutrients refers to changes in nutrient dynamics. The symbols –, 0 and + represent negative, neutral, and positive effects of predators, respectively. Contingency explains why mixed effects were seen within a single study.

References to the supplementary tables

- Åbjörnsson, K. et al. 2000. Influence of predator and dietary chemical cues on the behaviour and shredding efficiency of *Gammarus pulex*. – Aquat. Ecol. 34: 379–387.
- Ahlgren, J. et al. 2011. The influence of predator regime on the behaviour and mortality of a freshwater amphipod, *Gammarus pulex*. – Hydrobiologia 671: 39–49.
- Atwood, T. B. et al. 2014a. Competitive displacement alters top–down effects on carbon dioxide concentrations in a freshwater ecosystem. – Oecologia 175: 353–361.
- Atwood, T. B. et al. 2014b. Trophic-level dependent effects on CO₂ emissions from experimental stream ecosystems. – Global Change Biol. 20: 3386–3396.
- Best, M. L. and Welsh, H. H. 2014. The trophic role of a forest salamander: impacts on

- invertebrates, leaf litter retention and the humification process. – *Ecosphere* 5: 16.
- Boyero, L. et al. 2008. Effects of a predatory fish on a tropical detritus-based food web. – *Ecol. Res.* 23: 649–655.
- Buchowski, R. W. and Schmitz, O. J. 2015. Detritivores ameliorate the enhancing effect of plant-based trophic cascades on nitrogen cycling in an old-field system. – *Biol. Lett.* 11: 20141048.
- Buria, L. et al. 2010. Does predation by the introduced rainbow trout cascade down to detritus and algae in a forested small stream in Patagonia? – *Hydrobiologia* 651: 161–172.
- Calizza, E. et al. 2013. Predators and resources influence phosphorus transfer along an invertebrate food web through changes in prey behaviour. – *PLoS ONE* 8: e65186.
- Cortet, J. et al. 2003. Increasing species and trophic diversity of mesofauna affects fungal biomass, mesofauna community structure and organic matter decomposition processes. – *Biol. Fertil. Soils* 37: 302–312.
- Dunham, A. E. 2008. Above and below ground impacts of terrestrial mammals and birds in a tropical forest. – *Oikos* 117: 571–579.
- Dunham, A. E. and Mikheyev, A. S. 2010. Influence of an invasive ant on grazing and detrital communities and nutrient fluxes in a tropical forest. – *Divers. Distrib.* 16: 33–42.
- Fukami, T. et al. 2006. Above- and below-ground impacts of introduced predators in seabird-dominated island ecosystems. – *Ecol. Lett.* 9: 1299–1307.
- Greig, H. S. and McIntosh, A. R. 2006. Indirect effects of predatory trout on organic matter processing in detritus-based stream food webs. – *Oikos* 112: 31–40.
- Hargrave, C. W. et al. 2010. Direct and indirect food web regulation of microbial decomposers in headwater streams. – *Oikos* 119: 1785–1795.
- Hedlund, K. and Sjögren Öhrn, M. 2000. Tritrophic interactions in a soil community enhance decomposition rates. – *Oikos* 88: 585–591.
- Hines, J. and Gessner, M. O. 2012. Consumer trophic diversity as a fundamental mechanism linking predation and ecosystem functioning. – *J. Anim. Ecol.* 81: 1146–1153.
- Hocking, D. J. and Babbitt, K. J. 2014. Effects of red-backed salamanders on ecosystem functions. – *PLoS ONE* 9: e86854.
- Homyack, J. A. et al. 2010. Does *Plethodon cinereus* affect leaf litter decomposition and invertebrate abundances in mixed oak forest? – *J. Herpetol.* 44: 447–456.
- Huang, C.-Y. et al. 2007. Toads (*Bufo bankorensis*) influence litter chemistry but not litter invertebrates and litter decomposition rates in a subtropical forest of Taiwan. – *J. Trop. Ecol.* 23: 161–168.
- Jabiol, J. et al. 2014. Litter identity mediates predator impacts on the functioning of an aquatic detritus-based food web. – *Oecologia* 176: 225–235.

- Konishi, M. et al. 2001. Trophic cascading effects of predatory fish on leaf litter processing in a Japanese stream. – *Ecol. Res.* 16: 415–422.
- Lang, B. et al. 2014. Effects of environmental warming and drought on size-structured food webs. – *Oikos* 123: 1224–1233.
- Lawrence, K. L. and Wise, D. H. 2000. Spider predation on forest-floor Collembola and evidence for indirect effects on decomposition. – *Pedobiologia* 44: 33–39.
- Lawrence, K. L. and Wise, D. H. 2004. Unexpected indirect effect of spiders on the rate of litter disappearance in a deciduous forest. – *Pedobiologia* 48: 149–157.
- Lecerf, A. and Richardson, J. S. 2011. Assessing the functional importance of large-bodied invertebrates in experimental headwater streams. – *Oikos* 120: 950–960.
- Lenoir, L. et al. 2007. Bottom-up or top-down control in forest soil microcosms? Effects of soil fauna on fungal biomass and C/N mineralisation. – *Biol. Fert. Soils* 43: 281–294.
- Lensing, J. R. and Wise, D. H. 2006. Predicted climate change alters the indirect effect of predators on an ecosystem process. – *Proc. Natl Acad. Sci. USA* 103: 15502–15505.
- Liu, S. et al. 2014. Trophic cascade of a web-building spider decreases litter decomposition in a tropical forest floor. – *Eur. J. Soil Biol.* 65: 79–86.
- Maire, O. et al. 2010. Indirect effects of non-lethal predation on bivalve activity and sediment reworking. – *J. Exp. Mar. Biol. Ecol.* 395: 30–36.
- Majdi, N. et al. 2013. Predator effects on a detritus-based food web are primarily mediated by non-trophic interactions. – *J. Anim. Ecol.* 83: 953–962.
- Mancinelli, G. et al. 2002. Cascading effects of predatory fish exclusion on the detritus-based food web of a lake littoral zone (Lake Vico, central Italy). – *Oecologia* 133: 402–411.
- Mancinelli, G. et al. 2007. Top-down control of reed detritus processing in a lake littoral zone: experimental evidence of a seasonal compensation between fish and invertebrate predation. – *Int. Rev. Hydrobiol.* 92: 117–134.
- Mantel, S. K. and Dudgeon, D. 2004. Effects of *Macrobrachium hainanense* predation on benthic community functioning in tropical Asian streams. – *Freshwater Biol.* 49: 1306–1319.
- Mayntz, D. and Toft, S. 2006. Nutritional value of cannibalism and the role of starvation and nutrient imbalance for cannibalistic tendencies in a generalist predator. – *J. Anim. Ecol.* 75: 288–297.
- Miyashita, T. and Niwa, S. 2006. A test for top-down cascade in a detritus-based food web by litter-dwelling web spiders. – *Ecol. Res.* 21: 611–615.
- Ngai, J. T. and Srivastava, D. S. 2006. Predators accelerate nutrient cycling in a bromeliad ecosystem. – *Science* 314: 963.
- O'Dowd, D. J. et al. 2003. Invasional 'meltdown' on an oceanic island. – *Ecol. Lett.* 6: 812–817.

- Peay, K. G. et al. 2013. Rat invasion on islands alter fungal community structure, but not wood decomposition rates. – *Oikos* 122: 258–264.
- Romero, G. Q. and Srivastava, D. S. 2010. Food-web composition affects cross-ecosystem interactions and subsidies. – *J. Anim. Ecol.* 79: 1122–1131.
- Ruetz, C. R. et al. 2002. Top–down control in a detritus-based food web: fish, shredders, and leaf breakdown. – *Oecologia* 132: 307–315.
- Ruetz, C. R. et al. 2006. Habitat structure and fish predation: effects on invertebrate colonisation and breakdown of stream leaf packs. – *Freshwater Biol.* 51: 797–806.
- Schofield, K. A. et al. 2004. Effects of increased bedload on algal- and detritus-based stream food webs: experimental manipulation of sediment and macroconsumers. – *Limnol. Oceanogr.* 49: 900–909.
- Scott, S. E. et al. 2012. Effects of native and invasive species on stream ecosystem functioning. – *Aquat. Sci.* 74: 793–808.
- Sin, H. et al. 2008. An invasive frog, *Eleutherodactylus coqui*, increases new leaf production and leaf litter decomposition rates through nutrient cycling in Hawaii. – *Biol. Invas.* 10: 335–345.
- Sitvarin, M. I. and Rypstra, A. L. 2014. Fear of predation alters soil carbon dioxide flux and nitrogen content. – *Biol. Lett.* 10: 20140366.
- Srivastava, D. S. 2006. Habitat structure, trophic structure and ecosystem function: interactive effects in a bromeliad–insect community. – *Oecologia* 149: 493–504.
- Srivastava, D. S. and Bell, T. 2009. Reducing horizontal and vertical complexity in a foodweb triggers extinctions and impacts functions. – *Ecol. Lett.* 12: 1016–1028.
- Stanley, M. C. and Ward, D. F. 2012. Impacts of Argentine ants on invertebrate communities with below-ground consequences. – *Biodivers. Conserv.* 21: 2653–2669.
- Stief, P. and Hölker, F. 2006. Trait-mediated indirect effects of predator fish on microbial mineralization in aquatic sediments. – *Ecology* 87: 3152–3159.
- Thakur, M. P. et al. 2014. Interactions between microbial-feeding and predatory soil fauna trigger N₂O emissions. – *Soil Biol. Biochem.* 70: 256–262.
- Wach, E. and Chambers, R. M. 2007. Top–down effect of fish predation in Virginia headwater streams. – *Northeastern Nat.* 14: 461–470.
- Walton, B. M. and Steckler, S. 2005. Contrasting effects of salamanders on forest-floor macro- and mesofauna in laboratory mesocosms. – *Pedobiologia* 49: 51–60.
- Wardle, D. A. et al. 2009. Indirect effects of invasive predators on litter decomposition and nutrient resorption on seabird-dominated islands. – *Ecology* 90: 452–464.
- Warren, R. J. and Bradford, M. A. 2012. Ant colonization and coarse woody debris decomposition in temperate forests. – *Insect. Soc.* 59: 215–221.

- Woodward, G. et al. 2008. Trophic trickles and cascades in a complex food web: impacts of a keystone predator on stream community structure and ecosystem processes. – *Oikos* 117: 683–692.
- Wu, X. et al. 2011. A brown-world cascade in the dung decomposer food web of an alpine meadow: effects of predator interactions and warming. – *Ecol. Monogr.* 81: 313–328.
- Wu, X. et al. 2014a. The brown-world role of insectivores: frogs reduce plant growth by suppressing detritivores in an alpine meadow. – *Basic Appl. Ecol.* 15: 66–74.
- Wu, X. et al. 2014b. Cascading effects of predator-detritivore interactions depend on environmental context in a Tibetan alpine meadow. – *J. Anim. Ecol.* 83: 546–556.
- Zhang, Y. et al. 2004. Detritus processing, ecosystem engineering and benthic diversity: a test of predator–omnivore interference. – *J. Anim. Ecol.* 73: 756–766.
- Zhao, C. et al. 2013. Predatory beetles facilitate plant growth by driving earthworms to lower soil layers. – *J. Anim. Ecol.* 82: 749–758.